


Fit Kids Stencil Package

Application Instructions

Includes: Basketball Court Key
Four Square/Box Ball
Classic Hopscotch
Modern Hopscotch

PLEASE NOTE THAT THE LAYOUT SHOWN BELOW IS ONLY ONE OF NUMEROUS APPLICATIONS POSSIBLE.



www.fitandfunplayscapes.com

(800) 681-0684

info@fitandfunplayscapes.com




APPLICATION INSTRUCTIONS FOR THE FOUR SQUARE - LARGE


Product Number: 11-2W-015

FIRST Completely read “Considerations for Your Stencils” that is located in the Fit and Fun Playscapes folder or can be found on the Fit and Fun Playscapes CD. Obtain all paint supplies and prepare work area as instructed in accordance with the “Considerations for Your Stencils” guidelines.


1. Align STENCIL A and B along the edges as shown below and tape.




2. Paint **only** the outlines of each stencil. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then, when fully dry, remove stencils. It should look like as follows:




3. Locate and align outline of SIENCIL A over one side of the painted outlines, lapping over the dried painted outline. Tape and then align SIENCIL B to SIENCIL A and tape as shown below:




4. Paint **only** the outlines of each stencil. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then when fully dry, remove stencils. It should look like as follows:




5. Complete other two quadrants of game as in steps 1-4 above until all four quadrants are painted. The painted pavement should look as follows:



6. Use 9" rollers to fill in the fields of each quadrant with desired paint. Repeat paint to achieve desired vividness, drying after each application.




7. Take STENCIL A and STENCIL B and align corners over painted pavement as shown below, one at a time. (Note that there are different sequences of numbers that are typically used – some position the “1” across from the “4”). Use small brushes to paint numbers, repeating to desired vividness and drying after each application. Remove each stencil when fully dry.





8. It should then look like illustration below. Use small brushes to fill in the gaps along outlines if desired.



9. Allow all paint to dry for a minimum of 24 hours before use.


Completely read “Considerations for Your Stencils” that is located in the Fit and Fun Playscapes folder or can be found on the Fit and Fun Playscapes CD for storage guidelines.

Any questions? We’re here to help – call us at (800) 681-0684!



Fit and Fun Playscapes, LLC does not provide paint or painting materials, and is not responsible for the performance of any paint or painting materials recommended in these instructions. All paint and painting materials should be determined after consulting with your local hardware store and/ or paint manufacturer.

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2012 FIT AND FUN PLAYSCAPES, LLC



APPLICATION INSTRUCTIONS

FOR THE

BASKETBALL COURT KEY


Product Number: 11-3W-035

SIZE: approximately 25 feet long x 12 feet wide


ESTIMATED PAINT TIME: approximately 2-4 people for 1-2 hours.

FIRST READ: Completely read "General Instructions & Paint Info" attached to this document. Prepare surfaces as recommended before painting.


1. Locate "out of bounds" line which should be 4 feet behind the backboard and parallel to the backboard. For best application, use a chalk lines to mark out the bottom and sides of the basketball key. The court key should be 12 feet wide.
2. Align stencils as shown below to left, matching alignment holes as indicated. If using chalk lines, align outside lined cutouts of stencil to chalked lines. Tape all parts together if desired. Paint lines in place, repeating 1-2 more times to achieve desired vividness, drying after each application. Chalk out alignment holes on STENCILS C, E and end of D. Remove stencils. There will be gaps in the painted lines where the stencils overlap. To complete lines, re-align same stencils one at a time and paint incomplete lines using preceding stencils. The pavement should appear similar to illustration below right.



3. Beginning with **STENCIL A**, flip over and arrange stencils as shown below. Repeat directions from step 2. The pavement should appear similar to illustration below right. If full circle is desired, continued to step 4.



4. To complete circle, take **STENCIL E** and align and paint, as shown in steps below.





5. Allow to completely dry for at least 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



Fit and Fun Playscapes, LLC does not provide paint or painting materials, and is not responsible for the performance of any paint or painting materials recommended in these instructions. All paint and painting materials should be determined after consulting with your local hardware store and/ or paint manufacturer.

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2017 FIT AND FUN PLAYSCAPES, LLC



APPLICATION INSTRUCTIONS


FOR THE

CLASSIC HO PSC O TCH

Product Number: 13-1W-045


FIRST Completely read “Considerations for Your Stencils” that is located in the Fit and Fun Playscapes folder or can be found on the Fit and Fun Playscapes CD. Obtain all paint supplies and prepare work area as instructed in accordance with the “Considerations for Your Stencils” guidelines.

1. Place **STENCIL** in desired location. Paint only the rectangular spaces. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove **STENCIL**. Painted pavement should appear like below, right.





2. Once paint is dry on pavement, align numbered squares in spaces as shown below left. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove numbered squares. The stencil is complete as shown below to the right. Allow all paint to dry for a minimum of 24 hours.




Completely read “Considerations for Your Stencils” that is located in the Fit and Fun Playscapes folder or can be found on the Fit and Fun Playscapes CD for storage guidelines.

Any questions? We’re here to help – call us at (800) 681-0684!



Fit and Fun Playscapes, LLC does not provide paint or painting materials, and is not responsible for the performance of any paint or painting materials recommended in these instructions. All paint and painting materials should be determined after consulting with your local hardware store and/ or paint manufacturer.

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2013 FIT AND FUN PLAYSCAPES, LLC



APPLICATION INSTRUCTIONS

FOR THE

MODERN HOPSCOTCH


Product Number: 13-1W-046

SIZE: approximately 3 foot 8 inches wide x 7 foot 8 inches long.

ESTIMATED PAINT TIME: 1-2 people for 1-2 hours.


READ FIRST: Completely read "General Instructions & Paint Info" attached to this document. Prepare surfaces as recommended before painting.

1. Place **STENCIL** in desired location. Paint only the rectangular spaces as desired. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove **STENCIL**.





2. Remove the STENCIL. It should look like the left part below. Align numbered shapes in spaces as shown below. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove numbered shapes. The stencil is complete as shown below to the right. Allow all paint to dry for a minimum of 24 hours.



Any questions? We're here to help – call us at (800) 681-0684!



Fit and Fun Playscapes, LLC does not provide paint or painting materials, and is not responsible for the performance of any paint or painting materials recommended in these instructions. All paint and painting materials should be determined after consulting with your local hardware store and/ or paint manufacturer.

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2017 FIT AND FUN PLAYSCAPES, LLC



IMPORTANT!!

GENERAL INSTRUCTIONS

FIT & FUN PLAYSCAPES ARE DURABLE; NOT INDESTRUCTIBLE. STENCILS SHOULD BE HANDLED BY AT LEAST TWO (2) PEOPLE AT ALL TIMES, INCLUDING APPLICATION, REMOVAL AND STORAGE.

DO NOT USE SPRAY PAINTS ON STENCILS AS SOME SPRAY PAINTS MAY DAMAGE STENCILS.

DO NOT REMOVE TAPE OR PAPER MATERIALS WITH ANY SHARP OBJECTS SUCH AS KNIVES OR CUTTERS.

IT IS CRITICALLY IMPORTANT TO WIPE STENCIL OF EXCESS PAINT BETWEEN APPLICATIONS AND TO NOT TWIST OR HANDLE STENCIL UNEVENLY OR ABRUPTLY WHICH MAY RESULT IN BREAKAGE. LEVEL OF CARE IN HANDLING, WHICH WHEN PROPERLY EXERCISED WILL INCREASE REUSABILITY OF THE STENCIL.

IT IS BEST TO APPLY PAINT IN THIN COATS RATHER THAN THICK TO PREVENT SMUDGES, ESPECIALLY ON DETAILED OR SMALL STENCIL CUTOUTS.

ESTIMATED PAINT TIME ON APPLICATION INSTRUCTIONS MAY REQUIRE ADDITIONAL TIME DEPENDING ON SKILL OF THOSE PAINTING, TYPE OF PAINT, POROSITY OF PAVEMENT, WEATHER CONDITIONS, THICKNESS OF COATS AND SEVERAL OTHER VARYING FACTORS. ESTIMATE PAINT TIME DOES NOT INCLUDE SET-UP OR CLEAN-UP TIME.

FIT & FUN PLAYSCAPES ASSUMES NO LIABILITY REGARDING THE AMOUNT OF PAINT ESTIMATED, DURABILITY OR PERFORMANCE OF PAINT OR PAINTED SURFACES WHICH CAN VARY DEPENDING UPON SKILL OF THOSE PAINTING, TYPE OF PAINT, POROSITY OF PAVEMENT, WEATHER CONDITIONS, THICKNESS OF COATS, ETC. ALL MANUFACTURER INSTRUCTIONS SHOULD BE FOLLOWED.

LOCATING, WEATHER & STORING YOUR STENCIL

LOCATING YOUR STENCIL

For best results, it is recommended that the location of the stencil and resulting game should be located in an area:

1. with no pooling or ponding of water;

1 of 2

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.

© 2017 FIT AND FUN PLAYSCAPES, LLC

2. that is relatively flat;
3. on pavement that is free of cracks and completely dry;
4. on pavement that was swept clean of any debris including rocks, pebbles, dirt, sticks, etc.;
5. on pavement that is free of other paint, oil or residue;
6. in a location where supervision of children is sufficient; and
7. on pavement that has cured for at least one year.

Open each stencil and lay flat to allow stencil to re-shape if rolled for extended period of time, approximately 24 hours. Curled edges may need to be taped and some stencils need to be chalked for alignment.

WEATHER CONDITIONS FOR PAINTING

Check with your local hardware store and paint manufacturer for recommendations regarding optimum weather conditions and paint before application. As a general guide, the following conditions should be considered:

1. Temperature – Warm and cool conditions are best. Extremely hot, cold or freezing conditions are not recommended at all.
2. Weather – Application during humid, rainy or any precipitous weather or within 24 hours minimum following humid, rainy or precipitous weather should not be performed. In addition, consult your local weather forecast so that no humid, rainy or precipitous weather is anticipated within 24 hours of the completion of any painting.

STORING THE STENCIL

Each stencil should be dry and wiped free of large areas of paint and debris. Stack the stencils upon each other and roll or lay flat for storage. Store in a cool, clean and dry area. Do not store in direct sunlight or near any flames, heater, heating elements or appliance or tool giving off heat.

Any questions? We're here to help – call us at (800) 681-0684!



2 of 2

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2017 FIT AND FUN PLAYSCAPES, LLC